

Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A method of inputting data at a wireless device using a touch screen, the method comprising:

receiving configuration information at the wireless device from a server to configure user profile specific user interface settings and/or terminal specific user interface settings;

detecting an object touching the touch screen;

detecting the location of the object on the touch screen;

detecting x and y coordinates of a point of contact of the object on the touch screen;

detecting when the object is no longer touching the touch screen and measuring a time duration from the time of detection of the object first touching the touch screen until the time of detection of the object no longer touching the touch screen; and

determining inputted data based on the detected location of the object on the touch screen and the measured time duration.

2. - 3. (canceled)

4. (original) The method of claim 1, wherein detecting that the object is touching the touch screen comprises detecting a pressure of the object on the touch screen being greater than a predetermined value.

5. (original) The method of claim 1, wherein detecting when the object is no longer touching the touch screen comprises detecting a pressure of the object on the touch screen being less than a predetermined value.

6. (original) The method of claim 1, wherein measuring the time duration comprises determining whether or not the time duration is greater than a predetermined value.

7. (original) The method of claim 1, wherein measuring the time duration comprises determining whether the time duration is less than or equal to a first predetermined value or greater than the first predetermined value and less than or equal to a second predetermined value or greater than the second predetermined value.

8. (original) The method of claim 1, wherein measuring the time duration comprises determining which of a predetermined plurality of time duration ranges the measured time duration is within.

9. (currently amended) A wireless apparatus comprising:

a touch screen for inputting data;
a touch detector for detecting an object touching the touch screen;
a location detector for detecting the location of the object on the touch screen;
another touch detector for detecting when the object is no longer touching the touch screen and a time duration measuring unit for measuring a time duration from the time of detection of the object first touching the touch screen until the time of detection of the object no longer touching the touch screen; and

a data determination unit for determining inputted data based on the detected location of the object on the touch screen and the measured time duration, and

wherein the wireless apparatus receives configuration information from a server to configure user profile specific user interface settings and/or terminal specific user interface settings.

10. (original) The apparatus of claim 9, wherein the location detector detects the location of the object on the touch screen by detecting x and y coordinates of a point of contact of the object on the touch screen.

11. (original) The apparatus of claim 10, wherein the x and y coordinates correspond to a particular file location.

12. (original) The apparatus of claim 9, wherein the touch detector detects that the object is touching the touch screen by detecting a pressure of the object on the touch screen being greater than a predetermined value.

13. (original) The apparatus of claim 9, wherein the another detector detects when the object is no longer touching the touch screen by detecting a pressure of the object on the touch screen being less than a predetermined value.

14. (original) The apparatus of claim 9, wherein the measuring unit measures the time duration by determining whether or not the time duration is greater than a predetermined value.

DI
cmf
15. (original) The apparatus of claim 9, wherein the measuring unit measures the time duration by determining whether the time duration is less than or equal to a first predetermined value or greater than the first predetermined value and less than or equal to a second predetermined value or greater than the second predetermined value.

16. (original) The apparatus of claim 9, wherein the measuring unit measures the time duration by determining which of a predetermined plurality of time duration ranges the measured time duration is within.

17. (original) The method of claim 1, wherein detecting the object touching the touch screen comprises detecting one of a finger or a stylus or a pointed object touching the touch screen.

18. (original) The apparatus of claim 9, wherein the object comprises one of a finger or a stylus or a pointed object.

19. (currently amended) A method of selecting a particular function on a wireless electronic device having a touch screen, the method comprising:

receiving configuration information at the wireless electronic device from a server to configure user profile specific user interface settings and/or terminal specific user interface settings;

detecting an object touching the touch screen;
detecting the location of the object on the touch screen;
detecting when the object is no longer touching the touch screen and
measuring a time duration from the time of detection of the object first touching the touch screen until the time of detection of the object no longer touching the touch screen; and
determining the particular function of the electronic device based on the detected location of the object on the touch screen and the measured time duration.

20. (original) The method of claim 19, wherein detecting the location of the object on the touch screen comprises detecting x and y coordinates of a point of contact of the object on the touch screen.

21. (original) The method of claim 20, wherein the x and y coordinates correspond to a particular file location.

22. (original) The method of claim 19, wherein detecting that the object is touching the touch screen comprises detecting a pressure of the object on the touch screen being greater than a predetermined value.

23. (original) The method of claim 19, wherein detecting when the object is no longer touching the touch screen comprises detecting a pressure of the object on the touch screen being less than a predetermined value.

DI
cmt
24. (original) The method of claim 19, wherein measuring the time duration comprises determining whether or not the time duration is greater than a predetermined value.

25. (original) The method of claim 19, wherein measuring the time duration comprises determining whether the time duration is less than or equal to a first predetermined value or greater than the first predetermined value and less than or equal to a second predetermined value or greater than the second predetermined value.

26. (original) The method of claim 19, wherein measuring the time duration comprises determining which of a predetermined plurality of time duration ranges the measured time duration is within.

27. (original) The method of claim 19, wherein detecting the object touching the touch screen comprises detecting one of a finger or a stylus or a pointed object touching the touch screen.

28. (currently amended) A wireless electronic device having an apparatus for selecting a particular function of the electronic device using a touch screen, the electronic device comprising:

DI
cmt

wireless connection interface for receiving configuration information from a server to configure user profile specific user interface settings and/or terminal specific user interface settings;

a touch detector for detecting an object touching the touch screen;

a location detector for detecting the location of the object on the touch screen;

another touch detector for detecting when the object is no longer touching the touch screen and a time duration measuring unit for measuring a time duration from the time of detection of the object first touching the touch screen until the time of detection of the object no longer touching the touch screen; and

a data determination unit for determining the particular selected function based on the detected location of the object on the touch screen and the measured time duration.

29. (original) The apparatus of claim 28, wherein the location detector detects the location of the object on the touch screen by detecting x and y coordinates of a point of contact of the object on the touch screen.

30. (original) The apparatus of claim 29, wherein the x and y coordinates correspond to a particular file location.

31. (original) The apparatus of claim 28, wherein the touch detector detects that the object is touching the touch screen by detecting a pressure of the object on the touch screen being greater than a predetermined value.

32. (original) The apparatus of claim 28, wherein the another detector detects when the object is no longer touching the touch screen by detecting a pressure of the object on the touch screen being less than a predetermined value.

33. (original) The apparatus of claim 28, wherein the measuring unit measures the time duration by determining whether or not the time duration is greater than a predetermined value.

34. (original) The apparatus of claim 28, wherein the measuring unit measures the time duration by determining whether the time duration is less than or equal to a first predetermined value or greater than the first predetermined value and less than or equal to a second predetermined value or greater than the second predetermined value.

35. (original) The apparatus of claim 28, wherein the measuring unit measures the time duration by determining which of a predetermined plurality of time duration ranges the measured time duration is within.

36. (original) The apparatus of claim 28, wherein the object comprises one of a finger or a stylus or a pointed object.

37. (canceled)

DI
cmt 38. (previously presented) The device of claim 9, wherein the server receives the configuration information from a configuration tool manager of a management server.

39. (previously presented) The method according to claim 1, wherein the server receives the configuration information from a configuration tool manager of management server.

40. (previously presented) The method according to claim 19, wherein the server receives the configuration information from a configuration tool manager of management server.

41. (previously presented) The apparatus according to claim 28, wherein the server receives terminal configuration information from a configuration tool manager of management server.

42. (previously presented) The method according to claim 1, wherein the determining inputted data corresponds to magnifying a hidden text under a touch input.

43. (new) A system including at least one wireless device using a touch screen, the system comprising:

at least one wireless device, each said wireless device operatively connected to a network;

a mobile display appliance (MDA) server, the MDA server operatively connected to the network and providing services to the at least one wireless device;

a business site, the business site operatively connected to the network and including a global address server and a global upgrade server, the global address server providing a network address to each at least one wireless device of their respective MDA server; and

a management server, the management server operatively connected to the network and including a configuration tool manager that controls at least one of user profile specific user interface configuration settings, terminal specific user interface configuration settings, software component upgrades and program upgrades,

wherein each at least one wireless device including stored instructions, the instructions when executed causing the wireless device to perform:

receiving configuration information at the wireless device from the management server to configure user profile specific user interface settings and/or terminal specific user interface settings;

detecting an object touching the touch screen;

detecting the location of the object on the touch screen;

detecting x and y coordinates of a point of contact of the object on the touch screen;

detecting when the object is no longer touching the touch screen and measuring a time duration from the time of detection of the object first touching the touch screen until the time of detection of the object no longer touching the touch screen; and

determining inputted data based on the detected location of the object on the touch screen and the measured time duration.

DI
Cmt

44. (new) The system according to claim 43, wherein the MDA server provides services to the at least one wireless device related to email, calendar, notes, ability to shop online, authentication and third party services and information.

45. (new) The system according to claim 43, wherein each said wireless device is operatively connected to the network via the service provider.

46. (new) The system according to claim 43, wherein the network comprises the Internet.

47. (new) The system according to claim 43, wherein each at least one wireless device stores a network address of the global address server.

48. (new) The system according to claim 43, wherein each at least one wireless device stores a network address of the MDA server.

DI
cmdd
49. (new) The system according to claim 43, wherein the MDA server includes an application server, a support server, a network application server and a directory server

50. (new) The system according to claim 49, wherein the support server includes an upgrade services unit, a login services unit, a profile services unit, an advertisement services unit, an administrative services unit, and a defined services unit.
